



Foster Care manual



Dear Foster Family,

We're so excited to welcome you to our team! THANK YOU for opening your heart and your home to save the lives of animals who need you most. Your foster journey will be an unforgettable adventure, and you will become a hero to each animal you care for (and to us!). Our foster program is designed for young animals, nursing mothers, under-socialized animals, animals recovering from medical conditions and trial adoptions. In this manual, you will find guidance and helpful tips to ensure your experience is successful both for you and for your foster pets.

Types of Animals That Need Foster Homes

- Pregnant or nursing mothers
- Neonate kittens & puppies
- Puppies & kittens too young to be adopted
- Scared, shy or timid dogs & cats
- Dogs & cats recovering from medical conditions
- Terminally ill cats & dogs



We hope to answer all your questions within this manual but please contact us for further guidance or clarification. We appreciate your dedication and compassion!

Sincerely,

Your friends at SafeHaven Humane Society

How long should you expect to foster a pet?

TYPE OF FOSTER	DURATION OF FOSTER	DAILY COMMITMENT
Foster-to-Adopt	1 to 14 days	3-6 hours
Mom with puppies or kittens	2-8 weeks	3 hours
Neonate kittens & puppies	6-8 weeks	8 hours
Weaned puppies & kittens	1-4 weeks	3-6 hours
Sick/injured cats & dogs	2 weeks - 2 months	2-3 hours
Under-socialized cats & dogs	2 weeks - 2 months	3-5 hours

Table of Contents

Getting Ready	4
Selecting Your Foster Pet	5
Getting Acquainted	6
Foster-To-Adopt	7
Moms & Babies	8
Bottle Feeding	9-10
Daily Weight & Feeding Record	11
Puppy & Kitten Development	12
Puppy Socializing	13
House Training Dogs & Puppies	14
Kitten Care & Socializing	15
Routine Vet Care	16-17
Common Health Issues	18
Finishing Up	19
Emergencies vs. Non-Emergencies	20

The five fundamental needs of pets that need to be met by foster families:

- Keep foster pets warm and sheltered
- Provide adequate nutrition
- Keep foster pets clean and groomed
- Provide socialization
- Do your best to protect them from infectious diseases

Getting Ready

Make sure pets at home are vaccinated and in good health

Keep foster pets quarantined away from your pets for at least 14 days to prevent possible spread of disease | moms, babies & neonates should **always** be kept separate

Keep linens & toys clean

Always supervise play time with children & other pets

Preparing Your Home

Make sure you have a suitable area to house foster pets before bringing them home. A bathroom, spare room or roomy crate often works well. The room should adhere to the following guidelines:

- A space where temperature can be controlled.
- The space has been disinfected by using a mild bleach solution (1 part bleach to 32 parts water).
- Separate from other household pets.
- Can withstand messes: spilled water, vomit, urine, feces, etc.
- No breakable items.
- Electrical outlets and wires are blocked.
- No small, ingestible objects.
- Secured windows and doors (closed or with a secure screen).
- Secure appliances (toilet lids closed).
- No access to household plants or toxins.

What You Will Need | Some of these items may be provided for you.

Item	Dogs	Cats
Litter box & litter		✓
Large animal crate	✓	✓
Collar & lead	✓	
Carrier (remove door after transport for hiding spot in crate or room)		✓
Wet & dry life-stage appropriate food & treats	✓	✓
Formula, syringe and bottle for unweaned puppies & kittens	✓	✓
Heating source for young puppies & kittens	✓	✓
Scale for young, growing animals	✓	✓
Non-porous dishes & toys that can be disinfected easily	✓	✓
Bedding	✓	✓
Bleach for disinfecting	✓	✓

Selecting Your Foster Pet

Our foster team will help match you with a foster pet that matches your lifestyle and specific requirements. We will contact you annually to update your preferences. Maybe you're allergic to cats, prefer an active dog or only want to bottle feed babies. You can be as specific or as general as you'd like. Most foster pleas go to your email-if you are interested in fostering that animal reply as soon as possible. We will set up an appointment for you to meet the animal and get supplies ready.

Introductions

Children	Dogs	Cats
<p>We may not know your foster pet's previous history and behavior around children. We will do our best to match you with a kid-friendly dog or cat but remember to supervise all interactions at all times.</p> <p>Make sure your child is patient and respectful with your new foster pet. Never let your child take food or toys from the animal or disturb him/her while sleeping or chewing. Keep kitty claws trimmed to avoid scratching children.</p> <p>For safety reasons, please do not let children walk your foster dog. They may not be experienced or strong enough to handle the dogs, cats or people who may cross your foster dog's path.</p>	<p>Foster pets should remain separated from resident pets for at least 14 days to prevent possible spread of disease. Moms, babies & neonates should always be separated.</p> <p>If you have multiple dogs of your own, only introduce one at a time to your foster pet and supervise all interactions.</p> <p>Dogs should be introduced outside in a large yard or on a walk, keeping all dogs on leash and giving them enough time to adjust to each other.</p> <p>Feed and give treats to dogs separately to avoid aggression over high value items.</p> <p>If possible, we'll set up a meet and greet at the shelter to make sure dogs will get along later at home.</p>	<p>Dogs and cats can be introduced slowly after the quarantine period.</p> <p>Keep dogs on lead while giving the cat full run of a pet-safe room. Be ready to separate the two animals quickly if introductions do not go well.</p> <p>Good introductions consist of brief interactions and nonchalance. Bad introductions include fixating, snapping, growling or attacking. Never leave dogs and cats unsupervised together.</p> <p>Cat-to-cat introductions are the easiest. Most cats learn to love each other or avoid each other. Keep cats separated if they are consistently growling or attempting to attack each other.</p>



Getting Acquainted

Your new foster pet is home! Now what?

Dogs may need some time decompressing depending on the situation they've come from. Your new foster dog may act differently than predicted, so let him/her settle down and acclimate to your home before seeking out contact and interaction. When the dog is ready, he/she will come to you. You can sit on the floor and encourage the dog with treats or by gently calling his/her name.

Remember to take things slow. **No parties, special trips, and limit visitors until your new foster dog is more comfortable.** When it's time to introduce your foster dog to your current pets, go slow and supervise at all times, preferably with assistance.

Establish a routine. Dogs have a better time acclimating when meals, walks and bedtime happen at a consistent time. It is normal for your foster dog to have less appetite, soft stools, or sleep a lot for the first few days or so.

Some dogs may be used to a home environment while others may not. Their backgrounds will vary, with some having had amazing bonds with people, while others may have been abused or neglected. Please remember to give them patience, support and love as you help save their lives.



Cats will also need some time adjusting to a new home environment, especially older cats who may have spent their entire lives in one home before coming to the shelter. A normal reaction for cats may be to hide.

Allow your foster cat time to adjust to your home by giving them a safe space of their own, such as a roomy crate, spare bedroom, or extra bathroom. Block off small areas where cat may hide and get stuck. Scared cats can hurt themselves by wedging into small areas or escape by dashing out an open front door if they are not confined.

Never try to pull your foster cat out of hiding. Sit on the floor with treats and softly call the cat's name to try to encourage them. Sit on the floor and read a book or newspaper so the cat gets used to your voice. Once he/she is used to you, the cat will approach you when ready.

When your foster cat is eating, drinking, using the litter box and walking around the room in a relaxed manner, he/she may be ready to explore more of the house (after the initial quarantine period). However, if the cat runs when you enter the room, hides, only eats or uses the litter box at night, slinks around the room with body low to the ground, hisses, growls or cowers, these are signs of fear and means he/she is not ready to come out of confinement yet. Keep him/her confined and contact our foster team if there is no progress after one week.

You are responsible for your assigned foster pet so he/she must reside with you at all times. If you need to make other arrangements, please contact our foster team at 541-928-2789 Ext. 106.

Foster-to-Adopt

Prefer to date before marriage?

Our foster-to-adopt program gives you the opportunity to get to know your foster pet before making the commitment to adopt. While a shelter pet may exhibit certain behaviors during your meet-and-greet, please understand that their personality could be completely different home. With so many strange sounds, smells and activities happening at our shelter, dogs and can often struggle to show their "true personality" until they're back in a home setting.

During this trial period with your potential adoptee, you'll get to see if your energy levels mesh, how your foster pet gets along with your current pets and how well they do with your children. Please make sure to refer to pages 5 and 6 for assistance with introductions and how to set your foster pet up for success.

All animals that have been in the shelter for 2 months or longer are eligible for Foster-to-Adopt.

Trial Period Duration

1 day – 14 days

You'll work with our foster team to decide the length of time that works best for you. Most trial periods begin with one week, but can be extended to two weeks. Alternatively, when you are ready to officially adopt or need to return your foster pet, please contact us at 541-928-2789 Ext. 106 to make arrangements.

How to adopt your foster pet:

As soon as you know you've found "the one" please contact our foster team to schedule your adoption appointment so we can make things official!

When you finalize your adoption, you will:

- Sign the adoption contract
- Pay the adoption fee
- Receive your pet's medical records
- Take an official adoption picture
- Live happily ever after



Fostering Moms + Babies

Moms with litters require a calm setting with privacy and minimal activity.

Make sure mom and her litter have their own space, separate from the rest of the household and other pets. Stress can cause moms to stop taking care of their puppies or kittens. When you first bring them home, leave them alone in their new space. Mom will need some time, up to a few days, to adjust to her new space. Be sure to offer mom fresh food, water and a clean resting place.

For the first few weeks, mom will do everything to take care of her litter. Puppies and kittens begin nursing very soon after birth. Mom will groom them and make them eliminate. It's best to leave mom and her litter alone for the first two weeks except to feed. Mama dogs should be taken outside on short walks to go potty.



Possible Issues with Moms

Maternal Neglect can occur sometimes, resulting in the death of a puppy or kitten. Some dogs and cats lack maternal instincts and, in other cases, it is nature's way of handling sick or weak puppies or kittens. Environmental stress is an important factor, which is why it's important to create a calm environment for mom and her litter. Foster parents should watch for signs of maternal neglect. Call VetTriage's emergency hotline (contact info on Pg. 20) if you notice that the mom avoids feeding and grooming her babies and ignores their cries.

Maternal Aggression is common in mothers protecting their litters and may result in aggression towards humans or other animals. Do not try to introduce your pets to your foster mom as this adds too much stress to the environment. If aggression becomes severe, call 541-928-2789 Ext.106



Weaning

Mom will usually begin weaning at 5-6 weeks by discouraging nursing. She may not completely finish weaning until puppies or kittens are 8 weeks old. You can begin giving her "quiet time" away from her litter at 6-8 weeks. As the puppies or kittens get older, they will need supplemental gruel in order to receive adequate nutrients.

Introduce puppies and kittens to gruel at 4-5 weeks by mixing moistened dry food or canned food with water. Offer this mixture warmed and in a shallow dish. Begin by placing a puppy or kitten to the side of the plate. He or she should start to eat it but may take a few tries. If they are not interested, wait a few hours and try again. After they have accepted the gruel, gradually thicken it by adding less water. Begin to also offer dry food on a free-feeding basis. They should be eating food well by 6-7 weeks.

Puppies and kittens have fragile digestive systems. Do not offer them treats or human food.

Bottle Feeding

To warm nursing bottles, fill a coffee mug halfway with hot water and place bottle of formula into mug. After a minute or two, test formula by sprinkling a few drops on the back of your hand. Formula should be warm, but not hot.

Use a zip lock bag to mix warm water and powder formula. It's easier to squeeze out lumps than to stir them. It makes for easy pouring too!

We will often need foster families for orphaned puppies or kittens under three or four weeks, or for young litters whose mothers have neglected them. This experience is one of the most rewarding and sometimes heart breaking.

Type of Food

Puppies and kittens who are less than 3-4 weeks are fed a combination of liquid or powder formula provided by SafeHaven Humane Society. After a feeding, unused liquid formula can be stored for up to three days in the refrigerator or frozen for future feedings. Frozen formula will last for 6 months. Make sure to have at least two days' worth of formula on hand at all times while bottle feeding. Contact the shelter at 541-928-2789 Ext. 106 to restock before you run too low.

The powder formula must be mixed for feedings. It is important to closely follow mixing directions: one part powder into two parts warm water (as it can cause diarrhea or constipation if not done correctly). When mixing do not use a blender. Any reconstituted powder formula can be refrigerated for up to 24 hours. Discard unused mixed formula after 24 hours.

Feeding Etiquette

- Make sure kitten or puppy is warm and dry.
- Only use clean nipples and bottles.
- Feed puppies or kittens one at a time. Place them on a countertop and allow them to feed with four paws on the counter and with a level head. This simulates how they would nurse from mom.
- Do not feed a puppy or kitten while he/she is on his/her back. This can cause formula to end up in the lungs.
- Stroking puppy or kitten can help them eat.
- Pull lightly on the bottle. This promotes strong sucking.
- Tilt the bottle up slightly. This prevents the animal from inhaling too much air.
- Do not squeeze the bottle to force formula into the animal's mouth. This can cause formula to move into the lungs.
- After feeding, burp puppy or kitten by gently massaging his/her back.
- Be sure to stimulate puppy or kitten before or after feeding to help them eliminate. Stimulate with a warm cloth if necessary. This simulates mom licking puppy or kitten.
- Fill out the Daily Weight and Feeding Record.



Bottle Feeding

Cleaning Equipment

Keeping the puppies' and kittens' nursing bottles and supplies clean is vital in order to prevent diarrhea, vomiting or infection. Clean bottles and nursing nipples using hot, soapy water and a bottle brush. If you do not have a bottle brush you may wash the bottle and nursing nipple in the dishwasher. You may place them in the silverware rack or in a dishwasher basket.

Amount of Food

Puppies and kittens less than three weeks old should be fed every 2-4 hours around the clock. Sometimes bottle feeding can be challenging, and your puppy or kitten may not take to it right away. If they refuse to eat, try again next time. However, if your puppy or kitten refuses two consecutive feedings, contact our foster team. When he/she does begin to eat, keep in mind that overfeeding is as dangerous as underfeeding. Feed puppies and kittens until they are full but not bloated.



Some Puppies or Kittens May Not Survive

Please understand that puppies and kittens are extremely fragile and some may have underlying, hidden medical conditions. Some puppies or kittens will not survive no matter how well you care for them (sometimes 1 in 4 in the first week alone). Remain attentive and provide puppies and kittens with the best possible care. As difficult as it is to lose a puppy or kitten, you cannot blame yourself. If you do lose a puppy or kitten, please wrap it in a plastic grocery bag and contact our foster team as soon as possible.

Daily Weight & Feeding Record

NAME/ID						
Date						
Weight						
Attitude						
FEEDING 1						
Milk Volume						
Stool/Urine						
FEEDING 2						
Milk Volume						
Stool/Urine						
FEEDING 3						
Milk Volume						
Stool/Urine						
FEEDING 4						
Milk Volume						
Stool/Urine						
FEEDING 5						
Milk Volume						
Stool/Urine						
FEEDING 6						
Milk Volume						
Stool/Urine						

NOTES:

Puppy & Kitten Development

Weeks	Puppies	Kittens
0-1	Newborn puppies & kittens sleep 90% of the time and eat 10% of the time. If mom is present, keep handling to a minimum. Make sure they remain warm at a consistent temperature.	
1-2	<p>Ear canals open between 5-8 days.</p> <p>Eyes open between 8-14 days.</p> <p>Most puppies' eyes are blue at this point.</p>	Eyes open between 8-14 days. Young kittens are vulnerable to eye infections, so watch for crustiness or white/yellow secretions. All kittens' eyes are blue at this point.
2-3	Puppies begin to crawl around and should be almost standing. They will begin to play with each other. They should be teething. We'll set up an appointment to de-worm them and check their progress at 2 weeks.	Kittens begin to shakily crawl, explore and purr. Their ears should be erect, and their baby teeth should begin to show. We'll set up an appointment to de-worm them and check their progress at 2 weeks.
3-4	Puppies begin to see well and begin cleaning themselves. If mom is present she will still do most of the cleaning. Canine socialization begins at this point, so let them play with littermates if possible. Bottle babies may start to lap formula and water from a bowl.	Kittens are becoming more active and may begin interacting with littermates. Kittens begin to groom themselves although mom will still do most of the grooming. Hearing and sense of smell are now well developed. Eyesight is still improving. Bottle babies may start to lap formula and water from a bowl.
4-5	<p>You can begin housebreaking at this point. After each feeding, place puppy on a training pad and wait until he/she goes potty. Remember to be patient! He/she may not remember to do this every time.</p> <p>Introduce "gruel" by soaking dry food in warm water and mixing with canned food. Puppies will have their 4 week appointment.</p>	Kittens may begin using the litter box. Be sure to use a shallow tray with kitten-safe litter. Be patient! They may not remember to use the litter box every time. Introduce "gruel" by soaking dry food in warm water and mixing with canned food. Kittens will have their 4 week appointment.
5-6	Puppies are much more active. They can now roam around the room under supervision. Begin introducing them to different toys and textures as they explore.	Eyesight is fully developed. Kittens are much more active and will want to roam and play. Begin introducing them to different toys and textures as they explore.
6-7	Kittens and puppies will now groom themselves and play games with each other and with you. Kittens and puppies will have an appointment at 6 weeks to receive their second vaccinations, photos for our website, and to schedule their spay/neuter surgeries.	
7-8	Continue playing and socializing with puppies. You can even begin basic training, such as sit, down and come when called.	Continue playing and socializing with kittens. They should be eating well enough to weigh close to two pounds.
8	If puppies and kittens are in good health and weigh at least two pounds, they are ready to be spayed or neutered.	

Puppy Socializing

Mouthing

Puppies are born with an instinct to bite. One of the most important things they learn, as a puppy, is how to control the strength of their bite. Puppies naturally teach each other what strength is acceptable. If one puppy bites too hard, the other puppy yelps and stops playing. If you are raising a single puppy, it is crucial for you to step into this role that littermates would otherwise play. When your puppy bites too hard, yelp loudly. If the puppy stops biting, praise him/her lavishly. If he/she continues biting, stop playing and walk away for 10 seconds. Return and resume playing. Keep repeating these steps if needed.

Remember, mouthing is important for puppies to learn their bite strength. Never scold, tap on the nose, or yell “no” at a puppy who is biting. A puppy who is never allowed to bite will grow into an adult with a hard bite because he/she doesn’t know his/her strength. If a puppy continues to bite, simply yell “ouch” and stop playing with him/her for several seconds.

Toys

You should have a selection of toys available for growing puppies, which will be provided for you. A variety of toy types is best, including plush squeak toys, rope toys, stuffed KONGs and teething toys.

Socialization

The most crucial socialization period for puppies is between 3 weeks and 3 months. They are biologically primed to learn that new sights, sounds, smells, objects, environments, people and other animals are fun and safe. Every new person your foster puppy meets should be a wonderful experience with treats and toys. Take things slow if your puppy seems fearful of a new person, place or thing. **Note: Puppies under four months old should never go outside in public locations (your backyard only) due to the high risk of parvovirus and other diseases.**



House Training Dogs + Puppies

House Training

Puppies should have frequent breaks and be taken out to the same spot to relieve themselves every 30-60 minutes when active (when waking up from a nap, after eating or drinking, and after a play session). A puppy can generally hold his/her bladder one hour for each month of age (i.e. 2 months = 2 hours, 3 months = 3 hours). However, this does not mean that a one-year-old dog should be expected to hold his/her bladder for 12 hours! Adult dogs should have at least 6 potty breaks daily. For puppies 5 weeks and younger, place puppies on pee pads about once an hour, including as soon as they wake up and finish eating. Praise the puppy enthusiastically every time he/she urinates or defecates on the pad. Change pee pads frequently to prevent puppies from chewing on them.

The Five Steps to Successful House Training:

- Prevent accidents
- Reward going to the bathroom
- Anticipate bathroom needs
- Interrupt accidents and avoid punishing
- Clean up accidents with enzyme cleaner

Crate Training

A crate can be a great tool to help with house training as long as it is not misused. The crate should be big enough for the puppy or dog to stand up in, turn around and stretch out. It should not be big enough that the dog or puppy can create a “potty area.” We will help you with the correct size crate for your foster dog or puppy. Your foster puppy/dog should have a short-term confinement spot, such as the crate, to be housed in while you are sleeping or away from home. Your foster puppy/dog should also have a long-term confinement area, such as an x-pen or baby gated section of the house.

If you are beginning to crate train, feed your puppy in the crate and provide chew toys/games inside the crate in order to build a positive association. Keep sessions short and fun and have your dog/puppy hang out in the crate for short periods of time while you are home. Never use a crate for “time out” or to punish your foster dog or puppy.



Kitten Care & Socializing

House Training

Small litter boxes should be provided with non-clumping litter. Kittens will eventually learn to use the litter box on their own, but accidents are normal for the first few weeks. If they defecate outside the litter box, move the feces to the litter box. You can also place kittens inside their litter box after meals.



Grooming

Kittens can be quite messy as they transition from formula to gruel. They will need to be cleaned often, preferably spot cleaned by rinsing with warm water only where the kitten is dirty (i.e. his/her bottom). If there is food on your kitten's face, use a warm, damp cloth. Make sure kitten is completely dry when finished. You may use a hair dryer on the lowest setting.

Socializing

It is crucial that you socialize young kittens daily with frequent handling and play sessions. They should learn to enjoy being around people to prevent them from growing up under-socialized.

- Keep kittens confined to a large dog crate for the first couple days to make sure they're eating well and adjusting to their new environment. Offer them their carrier without the door or a cardboard box to hide in so they feel more secure.
- The crate should be in a secure, cat-proof room where kittens cannot run away or hide once you start letting them out of the crate.
- Once the initial 14-day quarantine period (see page 4) has passed and kittens are eating well and are comfortable, allow them to explore this cat-proof room under supervision.
- Use every meal time as a socialization period. Sit close to them as they eat, eventually putting food on your finger and having them eat from your hand. Once they're comfortable with you, try holding the bowl so they have to crawl into your lap to get the food. Start slowly by petting them as they eat until you can eventually pick them up.
- Short socialization periods (3-5 minutes) several times a day are better than one or two long socialization periods each day.
- Invite friends and family members over to help socialize kittens.
- Get them used to household noises and voices by slowly introducing them to people talking, the television, the can opener, etc.
- Give them safe objects to explore (paper bags, cardboard boxes).
- Do not allow them to bite or play with hands and feet. This encourages bad behavior and will be painful when they're older.



Routine Vet Care

Routine vet care is provided by the staff at SafeHaven Humane Society. Our foster team will work directly with the Shelter Veterinarian to manage health concerns. For after-hours emergency services we have partnered with VetTriage to offer video telehealth services. VetTriage veterinarians are available 24/7 and will assess your foster pet on a live video chat. In the event of an emergency, they will coordinate your visit to the local on-call hospital or emergency veterinary hospital. Emergency phone numbers can be found on the last page of this manual.



SafeHaven Humane Society will not reimburse individuals for vet bills for foster animals when taken for veterinary care without pre-authorization by the Shelter Veterinarian, Executive Director or a VetTriage Veterinarian.

Foster animals are required to return to SafeHaven Humane Society for vaccinations and/or general exams. We will schedule these appointments with you when you pick up your foster pet(s). If you cannot keep an appointment, please contact us before the day of your appointment so we can reschedule.

General wellness plan for foster pets:

Age	Dogs	Cats
2+ weeks	<ul style="list-style-type: none">• De-wormer	<ul style="list-style-type: none">• De-wormer
4-5 weeks	<ul style="list-style-type: none">• Distemper combo vaccine (DHPP)• Bordetella• De-wormer• Flea Control	<ul style="list-style-type: none">• Distemper combo vaccine (FVRCP)• De-wormer• Flea Control
6-8 weeks	<ul style="list-style-type: none">• Distemper combo vaccine (DHPP)• De-wormer• Microchip	<ul style="list-style-type: none">• Distemper combo vaccine (FVRCP)• De-wormer• Microchip
8-12 weeks	<ul style="list-style-type: none">• Spay/Neuter	<ul style="list-style-type: none">• Spay/Neuter
12-16 weeks	<ul style="list-style-type: none">• DHPP vaccine every 2 weeks until 16 weeks old	<ul style="list-style-type: none">• FVRCP vaccine every 2 weeks until 16 weeks old

Routine Vet Care

All shelter animals receive:

Age	Dogs	Cats
4 weeks and up	<ul style="list-style-type: none"> Bordetella (kennel cough) vaccine once 	<ul style="list-style-type: none"> All kittens get two doses of ponazuril given two weeks apart
Under 4 months	<ul style="list-style-type: none"> DAPP every 2 weeks until 16 weeks old starting at 4 weeks old 	<ul style="list-style-type: none"> FVRCP every 2 weeks until 16 weeks old starting at 4 weeks old
Over 4 months	<ul style="list-style-type: none"> DAPP and booster after 2-4 weeks 	<ul style="list-style-type: none"> FVRCP and booster after 2-4 weeks
All	<ul style="list-style-type: none"> Flea prevention & de-wormer, Microchip 	<ul style="list-style-type: none"> Flea prevention & de-wormer, Microchip

DAPP: Distemper (D), Adenovirus type 1 & 2 (A), Parvovirus (P), Parainfluenza (P)

FVRCP: Feline rhinotracheitis virus (FVR), Calicivirus (C), Panleukopenia (P)

Before adoption, every shelter & foster pet has:

Dogs	Cats
<ul style="list-style-type: none"> Been spayed or neutered 	<ul style="list-style-type: none"> Been spayed or neutered
<ul style="list-style-type: none"> Bordetella (kennel cough) vaccine 	
<ul style="list-style-type: none"> DAPP Vaccine <p><i>* Dogs & puppies will be vaccinated up to the point they can be. It's the responsibility of the new owner to finish booster shots.</i></p>	<ul style="list-style-type: none"> FVRCP vaccine
<ul style="list-style-type: none"> Microchip 	<ul style="list-style-type: none"> Microchip
<ul style="list-style-type: none"> Bravecto (3mo dose) & Pyrantel 	<ul style="list-style-type: none"> Bravecto (3mo dose) & Pyrantel
<ul style="list-style-type: none"> Heartworm Test (Optional for additional cost) <p><i>* Puppies under 6 months old are not tested for Heartworms. Heartworm is only detectable in puppies over 6 months of age.</i></p>	<ul style="list-style-type: none"> FIV/FelV Test (Optional for additional cost)

Common Health Issues

Below you'll find a list of basic health issues that you may encounter with your foster pet.

Condition	Description	Dogs	Cats
Diarrhea	Diarrhea is common and can be caused by parasites, viruses, bacteria, food changes, stress and other issues. If your pet is active and diarrhea only occurs for 24 hours, it is not a concern. Contact us immediately if it is severe, lasts longer than 3-4 feedings, or contains blood/parasites.	✓	✓
Parasites	Fosters are de-wormed upon intake and during recheck exams. Parasites are commonly found in the stools of young puppies and kittens. Tapeworms look like rice grains while roundworms look like spaghetti. If you notice worms, contact our foster team and bring a stool sample to your pet's recheck appt.	✓	✓
Vomiting	Vomiting is not serious unless it happens continuously or is accompanied with diarrhea. If vomiting occurs 2-3 times in a row, this is an emergency .	✓	✓
Eye Discharge	If you see yellow or green discharge, swollen or closed eyes, contact our foster team. You may wipe the eye(s) with a warm, wet cloth.	✓	✓
Ear Mites	Ear mites are parasites that live in the ear canal. They look like brown coffee grounds and you may notice your foster pet scratching or shaking its head. Contact our foster team for treatment.	✓	✓
Fleas	Animals that have fleas will scratch themselves often. Foster pets over 4 weeks of age are given topical flea preventative. Young puppies and kittens can be washed with Dawn dish soap. If you think your foster pet may have fleas, contact our foster team.	✓	✓
Ringworm	Ringworm is a contagious fungus that is contagious to humans and other animals. Look for thinning hair or patches of hair loss. Contact our foster team if you notice any signs of hair loss.	✓	✓
Mange	Mange is caused by parasites that infect the skin of animals. Some forms are contagious to humans and other animals. Signs include itching, hair loss and sores. Contact our foster team for treatment.	✓	
URI	Upper Respiratory Infections (URI) are common and caused by viruses and bacteria. Look for sneezing and discharge from eyes/nose, congested breathing, loss of appetite, lethargy, and dehydration. Contact our foster team if you notice these symptoms.	✓	✓
Parvovirus	Parvo is a contagious and deadly disease that attacks a dog's gastrointestinal tract. Look for lethargy, dehydration, loss of appetite, abdominal pain and bloating, fever, low body temp., vomiting, metallic odor and severe diarrhea with or without blood. This is an emergency .	✓	
Panleukopenia	Panleukopenia is a contagious and deadly disease that attacks and destroys white blood cells. Look for vomiting, diarrhea with or without blood, dehydration, weight loss, high fever, rough coat, and anemia. This is an emergency .		✓


Finishing Up

Spay & Neuter Surgeries

When puppies and kittens are at least 8 weeks old and weigh at least 2 pounds, they are ready to be spayed or neutered at SafeHaven Humane Society. We will set up an appointment for you to drop your foster pet(s) off either the day before or the day of surgery. After surgery, they will remain at the shelter to be placed up for adoption. By this point, many young foster kittens and puppies already have forever homes waiting for them!

Can foster families adopt their foster pets?

We like to give our foster families first dibs when it comes to adopting their foster pet and essentially becoming what we affectionately call a “foster failure.” If you are considering adopting your foster pet, please notify us as soon as possible. We begin advertising puppies and kittens on our website when they are 8 weeks old, so it’s possible an application may already be pending for your foster pet if you do not inform us prior to dropping them off for surgery. If friends and family are interested in adopting your foster pet, please ask them to attend your foster animal’s 6-week appointment. At that time, they will be asked to place a Half-Down hold on the animal. Never promise a pet to someone until you can verify their status with our adoption counselor.



Adoption Ambassadors

Are you ready to truly change a life? SafeHaven knows that shelter life is not for every pet. It can be so overwhelming and stressful to some of our dogs and cats, and they need the comfort of a home environment and a family to love them while they wait for their perfect home. Adoption Ambassadors are an extension of our foster program, crossing the bridge from simply caring for the animals for a short time to promoting them via social media and within the community until they are adopted. You will be their Marketing Specialist with the ultimate goal of finding them a home without having to come back into the stressful shelter environment. You will be taught how to screen potential adopters and ask the right questions to make sure it is a good match with the potential adoptive family and everyone is set up for success.



Emergencies vs. Non-Emergencies

Non-Emergencies	Emergencies
<p>Monitor First</p> <p>If worsens, contact our foster team at 541-928-2789 Ext. 106</p>	<p>Require immediate veterinary attention</p> <p>During business hours: Contact our Medical Department at 541-928-2789 Ext. 117 or medical@safehavenhumane.com</p> <p>After hours: Follow these steps to connect with VetTriage:</p> <ol style="list-style-type: none"> 1. Go to vettriage.com/safehaven 2. Follow the instructions, at Step 2 enter SafeHaven's Coupon Code (SHHS50) 3. At Step 3, request your session with a vet – the vet will join in minutes to triage the pet
<ul style="list-style-type: none"> • Runny discharge from eyes or nose • Lack of appetite • Diarrhea • Vomiting • Weight loss • Coughing or sneezing • Lack of bowel movements for more than 24-36 hours or straining to urinate/defecate • Swollen eyes or eyes held closed 	<ul style="list-style-type: none"> • Continuous diarrhea longer than 24-36 hours • Continuous vomiting longer than 12 hours • Loss of appetite • Bleeding of any kind (from nose or large amounts in urine/stool) • Any trauma (hit by car, dropped, limping, unconscious, etc.) • Difficult breathing or labored breathing • Dog or cat that is not responsive • Lethargy with or without fever

Our Foster Coordinators are here to help!

Monday 7:30am-5pm

Tuesday 8:30am-5pm

Wednesday 8:30am-5pm

Thursday 8:30am-5pm

Friday 8:30am-5pm

Saturday 7:30am-5pm

Sunday 7:30am-5pm

You can find more helpful information on our website under the Foster Care tab!

SafeHaven Humane Society

32220 Old Hwy 34 Tangent, OR 97389

541-928-2789 | safehavenhumane.org

This Foster Care Manual was created with the help of the Lenawee Humane Society's Foster Care Guide, Charleston Animal Society's Foster Care Guide, ASPCA's Feline Foster Care Guide and Best Friend Animal Society's Foster Dog Manual.

